




Wittekindstraße 27 - 35  
D-32758 Detmold  
Fon +49 5231 7604-0  
Fax +49 5231 7604-28  
E-mail [vertrieb@kiesow.org](mailto:vertrieb@kiesow.org)  
Web [www.kiesow.org](http://www.kiesow.org)

## KIESOW News

### Place your order easily!

For your convenience simply send your or to: [bestellung@kiesow.org](mailto:bestellung@kiesow.org)

 [bestellung@kiesow.org](mailto:bestellung@kiesow.org)

### PROSEAL NP 300 - Passivation for Zinc Deposits


PROSEAL NP 300 is a liquid concentrate which produces a blue to yellow film on zinc layers that have been plated in acid or alkaline electrolytes.

Our passivation is suitable for rack and barrel installations.

#### CHARACTERISTICS:

- (1) PROSEAL NP 300 does not contain any hexavalent chromium chemicals or chelating agents. Therefore, spent solutions can easily be waste treated.
- (2) Free of fluorid.
- (3) Due to a high working pH-level. low coating losses.
- (4) Remarkable corrosion protection in combination with our PROSEAL Additive NP.
- (5) Contains an iron inhibitor, therefore extremely high life time of the bath.

Please ask for our technical datasheets.

 [info@kiesow.org](mailto:info@kiesow.org)

### **SURFASEAL WL 150 - Sealing for Chromated Parts**

Our product is a liquid, yellowish concentrate which provides a clear organic protection coating, especially for zinc plated parts.

#### **CHARACTERISTICS:**

(1) Water-soluble.

(2) Non-flammable; it contains no organic solvents.

(3) Yellow chromated parts do not experience discoloring when exposed to UV or daylight.

(4) SURFASEAL WL 150 increases the corrosion resistance remarkably.

Please ask for our technical datasheets.

 [info@kiesow.org](mailto:info@kiesow.org)

This PDF was generated on 04.09.2010 | 20:17:16 o'clock

